

AGB/BGV GEKEURDE ISOLERENDE VOEG / RACCORDS ISOLANTS AGREES AGB/BGV
Emmer Service
Infra Tech
Seppelfricke
Seppelfricke SD - Sortita

EMMER SERVICE

Industriestrasse 4

BE – 4700 Eupen

T: 087/59 06 80 - F: 087/59 06 89

E-mail: info@emmer.be - Website: www.emmer.be**Isolerende voeg / Raccord isolant 100 mbar**

Merk Marque	Type	Beschrijving - Description	DN	KVBG - ARGB rapport nr.
Schuck	TSM-GGT	Isolerende voeg Schuck DN 25 – BTD x BND Raccord isolant Schuck DN 25 – M x F	DN 25	3374
Schuck	TSM-GGT	Isolerende voeg Schuck DN 32 – BTD x BND Raccord isolant Schuck DN 32 – M x F	DN 32	3597
Schuck	TSM-GGT	Isolerende voeg Schuck DN 40 – BTD x BND Raccord isolant Schuck DN 40 – M x F	DN 40	3597
Schuck	TSM-GGT	Isolerende voeg Schuck DN 50 – BTD x BND Raccord isolant Schuck DN 50 – M x F	DN 50	3597
Schuck	TSM-GT	Isolerende voeg Schuck DN 25 – BND x BND Raccord isolant Schuck DN 25 – F x F	DN 25	3374
Schuck	TSM-GT	Isolerende voeg Schuck DN 32 – BND x BND Raccord isolant Schuck DN 32 – F x F	DN 32	3597
Schuck	TSM-GT	Isolerende voeg Schuck DN 40 – BND x BND Raccord isolant Schuck DN 40 – F x F	DN 40	3597
Schuck	TSM-GT	Isolerende voeg Schuck DN 50 – BND x BND Raccord isolant Schuck DN 50 – F x F	DN 50	3597

INFRA TECH Les Plénesses 69 B BE - 4890 Thimister-Clermont				
Isolerende voeg / Raccord isolant				
Merk Marque	Type	Beschrijving - Description	DN	KVBG - ARGB rapport nr.
Knebel	KKH	Isolerende voeg – Raccord isolant – type KKH – DN25	DN25	06-3285
Knebel	KKH	Isolerende voeg – Raccord isolant – type KKH – DN50	DN50	06-3246-B

SEPPELFRICKE
 Haldenstrasse 27
 DE - 45881 Gelsenkirchen
 T: 0049/209.40.40 - F: 0049/209. 404.499
 Website: www.seppelfricke.com

Isolerende voeg / Raccord isolant

Merk Marque	Type	Beschrijving - Description	DN	KVBG - ARGB rapport nr.
Seppelfricke	5181	Isolerende voeg in messing – BND x BND Raccord isolant en laiton – F x F	DN25	3239
Seppelfricke	5181	Isolerende voeg in messing – BND x BND Raccord isolant en laiton – F x F	DN32	3253
Seppelfricke	5181	Isolerende voeg in messing – BND x BND Raccord isolant en laiton – F x F	DN40	3254
Seppelfricke	5181	Isolerende voeg in messing – BND x BND Raccord isolant en laiton – F x F	DN50	3218
Seppelfricke	5181.03	Isolerende voeg in messing – BTD x BND Raccord isolant en laiton – M x F	DN25	3239
Seppelfricke	5181.03	Isolerende voeg in messing – BTD x BND Raccord isolant en laiton – M x F	DN50	1493

SEPPELFRICKE SD S.r.l. - SORTITA
Via dei Colli 56
IT - 31058 Susegana (TV)
T: 0039/0438.450.030 – F: 0039/0438.450.613

Isolerende voeg / Raccord isolant

Merk Marque	Type	Beschrijving - Description	DN	KVBG - ARGB rapport nr.
Seppelfricke SD	5180 – DN25	Isolerende voeg in messing – model 5081 - BTD x BND Raccord isolant en laiton – DN25 – M x F	DN25	07-3340-A